SAFETY DATA SHEET

M64SSY5601-8718

Section 1. Identification

| Product name | : KEM AQUA® BP Siding Select COPPER MOON TOPCOAT |
|--|--|
| Product code | : M64SSY5601-8718 |
| Other means of identification | : Not available. |
| Product type | : Liquid. |
| Relevant identified uses of t | the substance or mixture and uses advised against |
| Paint or paint related material. | |
| Manufacturer | : THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115 |
| National contact | : Sherwin-Williams Canada Inc. 180 Brunel Road Mississauga, Ontario L4Z 1T5 Canada |
| Emergency telephone number of the company | : (800) 424-9300 |
| Product Information | : (866) 722-9710 |

| Telephone Number | |
|--------------------------|------------------|
| Transportation Emergency | : (800) 424-9300 |
| Telephone Number | |

Section 2. Hazards identification

| Classification of the substance or mixture | : SKIN SENSITIZATION - Category 1 |
|--|---|
| | Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 2.2% |
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Warning |
| Hazard statements | : May cause an allergic skin reaction. |
| Precautionary statements | |
| General | : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. |
| Prevention | : Wear protective gloves. Avoid breathing vapor. Contaminated work clothing must not be allowed out of the workplace. |
| Response | : Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. |
| Storage | : Not applicable. |
| Date of issue/Date of revision | : 12/30/2024 Date of previous issue : 1/12/2024 Version : 4 1/13 |

Section 2. Hazards identification

| Disposal | : Dispose of contents and container in accordance with all local, regional, national and international regulations. |
|----------------------------------|---|
| Supplemental label elements | WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. |
| | This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity). |
| | Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage. |
| Hazards not otherwise classified | : None known. |

Section 3. Composition/information on ingredients

| Substance/mixture | : Mixture |
|----------------------------------|------------------|
| Other means of identification | : Not available. |

CAS number/other identifiers

| Ingredient name | % by weight | CAS number |
|----------------------------------|-------------|------------|
| 2-Butoxyethanol | 2.18 | 111-76-2 |
| Tetramethyl Decynediol | 0.2 | 126-86-3 |
| 3-iodo-2-propynyl butylcarbamate | 0.16 | 55406-53-6 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

COPPER MOON TOPCOAT

| Description of necessary f | <u>rst aid measures</u> | |
|--------------------------------|--|---|
| Eye contact | : Immediately flush eyes with plenty of water, occasionally eyelids. Check for and remove any contact lenses. Comminutes. Get medical attention if irritation occurs. | |
| Inhalation | : Remove victim to fresh air and keep at rest in a position of not breathing, if breathing is irregular or if respiratory arre- respiration or oxygen by trained personnel. It may be dat aid to give mouth-to-mouth resuscitation. Get medical at persist or are severe. If unconscious, place in recovery p attention immediately. Maintain an open airway. Loosen tie, belt or waistband. | est occurs, provide artificial ngerous to the person providing tention if adverse health effects position and get medical |
| Skin contact | : Wash with plenty of soap and water. Remove contaminated clothing thoroughly with water before remo Continue to rinse for at least 10 minutes. Get medical at complaints or symptoms, avoid further exposure. Wash shoes thoroughly before reuse. | ving it, or wear gloves. tention. In the event of any |
| Ingestion | : Wash out mouth with water. Remove dentures if any. If and the exposed person is conscious, give small quantitie exposed person feels sick as vomiting may be dangerous unless directed to do so by medical personnel. If vomitin kept low so that vomit does not enter the lungs. Get med effects persist or are severe. Never give anything by mo If unconscious, place in recovery position and get medica Maintain an open airway. Loosen tight clothing such as a | es of water to drink. Stop if the s. Do not induce vomiting g occurs, the head should be dical attention if adverse health uth to an unconscious person. al attention immediately. |
| Date of issue/Date of revision | : 12/30/2024 Date of previous issue : 1/12/2024 | Version : 4 2/1 |
| M64SSY5601-8718 KEM AQUA® E | P Siding Select | SHW-85-NA-GHS-CA |

Section 4. First aid measures

| Most important symptoms/e | <u>iffects, acute and delayed</u> |
|---------------------------------|---|
| Potential acute health effe | <u>cts</u> |
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : May cause an allergic skin reaction. |
| Ingestion | : No known significant effects or critical hazards. |
| <u>Over-exposure signs/symp</u> | <u>otoms</u> |
| Eye contact | : No specific data. |
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: irritation redness |
| Ingestion | : No specific data. |
| | dical attention and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

24 Date of previous issue

Section 6. Accidental release measures

| Personal precautions, protect | tiv | e equipment and emergency procedures |
|--------------------------------|-----|--|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity). Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for co | nta | ainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

Large spill : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

| Precautions for safe handling | | |
|--|---|--|
| Protective measures | • | Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

Date of previous issue

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits (OSHA United States)

| Ingredient name | CAS # | Exposure limits | |
|--|------------------------|--|--|
| 2-Butoxyethanol | 111-76-2 | ACGIH TLV (United States, 1/2024). TWA: 20 ppm 8 hours. NIOSH REL (United States, 10/2020). Absorbed through skin. TWA: 5 ppm 10 hours. TWA: 24 mg/m ³ 10 hours. OSHA PEL (United States, 5/2018). Absorbed through skin. TWA: 50 ppm 8 hours. TWA: 240 mg/m ³ 8 hours. | |
| Tetramethyl Decynediol 3-iodo-2-propynyl butylcarbamate | 126-86-3 55406-53-6 | None. None. | |

Occupational exposure limits (Canada)

| Ingredient name | CAS # | Exposure limits | | |
|-----------------|----------|---|--|--|
| 2-Butoxyethanol | 111-76-2 | CA Alberta Provincial (Canada, 3/2023). OEL: 97 mg/m³ 8 hours. OEL: 20 ppm 8 hours. CA British Columbia Provincial (Canada, 8/2023). TWA: 20 ppm 8 hours. CA Ontario Provincial (Canada, 6/2019). TWA: 20 ppm 8 hours. CA Quebec Provincial (Canada, 2/2024). TWAEV: 20 ppm 8 hours. CA Saskatchewan Provincial (Canada, 4/2021). STEL: 30 ppm 15 minutes. TWA: 20 ppm 8 hours. | | |

Occupational exposure limits (Mexico)

| Ingredient name | CAS # | Exposure limits | |
|-----------------|----------|---|--|
| 2-Butoxyethanol | 111-76-2 | NOM-010-STPS-2014 (Mexico, 4/2016). TWA: 20 ppm 8 hours. | |

Biological exposure indices (United States)

| Ingredient name | Exposure indices |
|-----------------|--|
| 2-Butoxyethanol | ACGIH BEI (United States, 1/2024) BEI: 200 mg/g creatinine, butoxyacetic acid (BAA) [in urine]. Sampling time: end of shift. |

Biological exposure indices (Canada)

No exposure indices known.

Biological exposure indices (Mexico)

Section 8. Exposure controls/personal protection

| Ingredient name | | Exposure indices |
|----------------------------------|-------------|--|
| 2-Butoxyethanol | | Official Mexican STANDARD NOM- 047-SSA1-2011, Environmental Health- Biological exposure indices for personnel occupationally exposed to chemical substances. (Mexico, 6/2012) BEI: 200 mg/g creatinine, butoxyacetic acid (BAA) [in urine]. Sampling time: exposure sample at the end of the work shift. |
| Appropriate engineering controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
| Environmental exposure controls | : | This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity). |
| | | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measu | <u>ures</u> | |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

4 Date of previous issue

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

| Appearance | |
|---|--|
| Physical state | : Liquid. |
| Color | : Various |
| Odor | : Not available. |
| Odor threshold | : Not available. |
| рН | : 8.4 |
| Melting point/freezing point | : Not available. |
| Boiling point, initial boiling point, and boiling range | : 100°C (212°F) |
| | |
| Flash point | : Closed cup: Not applicable. |
| Flash point Evaporation rate | Closed cup: Not applicable.89 (butyl acetate = 1) |
| | |
| Evaporation rate | : 89 (butyl acetate = 1) |
| Evaporation rate Flammability Lower and upper explosion | 89 (butyl acetate = 1) Not available. Lower: 1.1% |
| Evaporation rate Flammability Lower and upper explosion limit/flammability limit | 89 (butyl acetate = 1) Not available. Lower: 1.1% Upper: 10.6% |
| Evaporation rate Flammability Lower and upper explosion limit/flammability limit Vapor pressure | 89 (butyl acetate = 1) Not available. Lower: 1.1% Upper: 10.6% 2.3 kPa (17.5 mm Hg) |

| Media | | Result | |
|--|--------|--|--|
| cold water | | Partially soluble | |
| Partition coefficient: n- octanol/water | : Not | : Not applicable. | |
| Auto-ignition temperature | : Not | available. | |
| Decomposition temperature | : Not | available. | |
| Viscosity | : Kin | ematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt) | |
| Molecular weight | : Not | applicable. | |
| Heat of combustion | : 1.64 | I7 kJ/g | |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : No specific data. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

| Date of issue/Date of revision | : 12/30/2024 | Date of previous issue | : 1/12/2024 | Version : 4 | 7/13 |
|--|--------------|------------------------|-------------|------------------|------|
| M64SSY5601-8718 KEM AQUA® BP Siding Select | | | | SHW-85-NA-GHS-CA | |
| COPPER MOON TOP | COAT | | | | |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------------------|--------------------------------------|--------------------------|--------------------------|----------|
| 2-Butoxyethanol | LCLo Inhalation Vapor LD50 Dermal | Guinea pig Guinea pig | >3.1 mg/l >2000 mg/kg | 1 hours |
| | LD50 Oral | Rat | 1300 mg/kg | - |
| 3-iodo-2-propynyl butylcarbamate | LD50 Oral | Rat | 1470 mg/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|---------|-------|--------------------|-------------|
| 2-Butoxyethanol | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 mg | - |
| | Eyes - Severe irritant | Rabbit | - | 100 mg | - |
| | Skin - Mild irritant | Rabbit | - | 500 mg | - |
| Tetramethyl Decynediol | Eyes - Severe irritant | Rabbit | - | 0.1 MI | - |
| | Skin - Mild irritant | Rabbit | - | 0.5 gm | - |

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| 2-Butoxyethanol | - | 3 | - |

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

| Name | | Route of exposure | Target organs | |
|-----------------|------------|----------------------|------------------|--|
| 2-Butoxyethanol | Category 3 | - | Narcotic effects | |

Specific target organ toxicity (repeated exposure)

| Name | | Route of exposure | Target organs |
|----------------------------------|------------|----------------------|---------------|
| 3-iodo-2-propynyl butylcarbamate | Category 1 | - | larynx 🥄 |

Date of previous issue

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

: 12/30/2024

Potential acute health effects

Date of issue/Date of revision

Section 11. Toxicological information

| Eye contact | : No known significant effects or critical hazards. | | | | | | |
|--|---|--|--|--|--|--|--|
| Inhalation | : No known significant effects or critical hazards. | | | | | | |
| Skin contact | : May cause an allergic skin reaction. | | | | | | |
| Ingestion | : No known significant effects or critical hazards. | | | | | | |
| Symptoms related to the physical, chemical and toxicological characteristics | | | | | | | |
| Eye contact | : No specific data. | | | | | | |
| Inhalation | : No specific data. | | | | | | |
| Skin contact | : Adverse symptoms may include the following: irritation redness | | | | | | |
| Ingestion | : No specific data. | | | | | | |
| Delayed and immediate ef | fects and also chronic effects from short and long term exposure | | | | | | |
| Short term exposure | | | | | | | |
| Potential immediate effects | : Not available. | | | | | | |
| Potential delayed effects | : Not available. | | | | | | |
| <u>Long term exposure</u> | | | | | | | |
| Potential immediate effects | : Not available. | | | | | | |
| Potential delayed effects | : Not available. | | | | | | |
| Potential chronic health et | ifects | | | | | | |
| Not available. | | | | | | | |
| General | : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. | | | | | | |
| Carcinogenicity | : No known significant effects or critical hazards. | | | | | | |
| Mutagenicity | : No known significant effects or critical hazards. | | | | | | |
| Teratogenicity | : No known significant effects or critical hazards. | | | | | | |
| Developmental effects | : No known significant effects or critical hazards. | | | | | | |
| Fertility effects | : No known significant effects or critical hazards. | | | | | | |
| | | | | | | | |

Numerical measures of toxicity

Acute toxicity estimates

| Route | ATE value |
|---------------------|----------------|
| Oral | 54970.02 mg/kg |
| Inhalation (vapors) | 137.43 mg/l |

Section 12. Ecological information

Toxicity

24 Date of previous issue

Section 12. Ecological information

| Product/ingredient name | Result | Species | Exposure |
|-------------------------------------|-------------------------------------|--|------------|
| 2-Butoxyethanol | Acute EC50 >1000 mg/l Fresh water | Daphnia - <i>Daphnia magna</i> | 48 hours 🥄 |
| - | Acute LC50 800000 µg/l Marine water | Crustaceans - Crangon crangon | 48 hours |
| | Acute LC50 1250 ppm Marine water | Fish - Menidia beryllina | 96 hours |
| 3-iodo-2-propynyl butylcarbamate | Acute EC50 0.039 mg/l | Algae - <i>Raphidocelis subcapitata</i> - Exponential growth phase | 72 hours |
| , | Acute LC50 500 ppb Fresh water | Crustaceans - Hyalella azteca | 48 hours |
| | Acute LC50 40 ppb Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 67 µg/l Fresh water | Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) | 96 hours |
| | Chronic EC10 0.025 mg/l | Algae - <i>Raphidocelis subcapitata</i> - Exponential growth phase | 72 hours |
| | Chronic NOEC 8.4 ppb | Fish - Pimephales promelas | 35 days |

Persistence and degradability

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability | |
|-------------------------|-------------------|------------|------------------|--|
| 2-Butoxyethanol | - | - | Readily | |

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity).

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

24 Date of previous issue

Section 14. Transport information

Section 15. Regulatory information

This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity).

International regulations

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

International lists : Australia inventory (AIIC): Not determined. China inventory (IECSC): Not determined. Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined. Korea inventory (KECI): Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined.


| Date of issue/Date of revision | : 12/30/2024 | Date of previous issue | : 1/12/2024 | Version : 4 | 11/13 |
|---|--------------|------------------------|-------------|------------------|-------|
| M64SSY5601-8718 KEM AQUA® BP Siding COPPER MOON TOPO | , | | | SHW-85-NA-GHS-CA | |

Section 15. Regulatory information

Taiwan Chemical Substances Inventory (TCSI): Not determined. Thailand inventory: Not determined. Turkey inventory: Not determined. Vietnam inventory: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Procedure used to derive the classification

| | Classification | Justification |
|--|----------------|---|
| SKIN SENSITIZATION - C | ategory 1 | Calculation method |
| History | | |
| Date of printing | : 12/30/2024 | |
| Date of issue/Date of revision | : 12/30/2024 | |
| Date of previous issue | : 1/12/2024 | |
| Version | : 4 | |
| Version : 4 Key to abbreviations : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemic IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ship as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations | | icient of Pollution From Ships, 1973 |

V Indicates information that has changed from previously issued version.

Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is

| Date of issue/Date of revision | : 12/30/2024 | Date of previous issue | : 1/12/2024 | Version | :4 | 12/13 |
|--|--------------|------------------------|-------------|---------|-----------|-------|
| M64SSY5601-8718 KEM AQUA® BP Siding Select | | | | | NA-GHS-CA | |
| COPPER MOON TOPCOAT | | | | | | |

Section 16. Other information

responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.